


DISCOVER WHAT'S NEXT IN OUTDOOR LIVING



railing: Transcend in Classic White with Island Mist cocktail rail and square aluminum balusters in Charcoal Black *also featuring:* Trex Fascia, Trex Outdoor Lighting and Trex Outdoor Furniture

ON THE COVER

g: Transcend in Spiced Rum & Vintage Lantern Transcend in Classic White & Vintage Lantern with round m balusters in Charcoal Black ring: Trex Fascia, Trex Outdoor Furniture, Trex Outdoor Lighting Spiral Stai

THERE'S YOU.

THERE'S THE SPACE AROUND YOUR HOUSE.

AND THEN THERE'S TREX®.

And with a little imagination, amazing things can happen in between.

As you'll see, Trex is more than just a creator of great decks with proprietary technology. In fact, the real possibilities begin when what you think you know turns that become a perfect bench. Tropical deck colors that Brilliant new storage ideas for making outdoor rooms even roomier.

What's Next: Outstanding Trex Collaborations THE MONDAVI SHOW HOME

When Rob and Lydia Mondavi—the fourth generation of the winemaking family—designed their home away from home, they turned to Trex for high-style, high-performance products they knew would last. It's a place perfect for the Mondavis' two favorite things: entertaining and family. Nestled in the heart of South Carolina lowcountry, Trex helps the home feel right at home among the marshy tides just feet from the back screen door—withstanding whatever the salt air brings.

A REAL PROPERTY AND A REAL PROPERTY A REAL PROPERTY AND A REAL PROPERTY AND A REAL PRO

Even our most specific features are engineered for beautiful outdoor living.



LONG-LASTING WARRANTIES

As the leader in outdoor living, it's only fitting that we back our offerings with exceptional, decades-long warranties.



SHELL TECHNOLOGY Trex decks are wrapped in a high-performance shell that resists fade, stains, mold, mildew, insects and natural weathering.



FASTENERS

The Trex Hideaway® Hidden Fastening System is an option with groovededge boards for perfectly consistent spacing and no visible screws on top.



ALWAYS GREEN

Our products are made from recycled materials, and our processes? As eco-friendly as they come.

NEXT-LEVEL THINKING APPLIED TO BETTER OUTDOOR LIVING

CONTENTS

10-11



TREX REVEAL® ALUMINUM RAILING & ALUMINUM GATES 20-21

TREX ELEVATIONS®

STEEL DECK

FRAMING



TREX ENHANCE® DECKING

DESIGNING YOUR DECK

12-15



TREX SELECT® DECKING & RAILING 24-25

WELCOME

TREX TRANSCEND®

DECKING & RAILING

TO TREX

SYSTEM

6-9

16-19



TREX[®] FASCIA



33





TREX[®] OUTDOOR FURNITURE™



TREX® RAINESCAPE® DECK DRAINAGE SYSTEM

TREX[®] OUTDOORSTORAGE[™]







SPECS &

















35

TREX[®] PERGOLA[™]



TREX[®] SPIRAL STAIRS™

Actually, it is easy **BEING GREEN**






What's Next: Outstanding Trex Collaborations DECK DESIGNS BY PAUL LAFRANCE

Let Paul Lafrance, host of HGTV Canada's "Decked Out" and "Disaster Decks," do the designing for you. On trex.com, you'll find decks to inspire, access to Paul's one-of-a-kind services and project possibilities you never thought possible

> decking: Transcend in Tree House & Lava Rock also featuring: Trex Fascia in Tree House & Lava Rock and Trex Outdoor Lighting









Trex was built upon green principles and values, from our innovative materials to our sustainable processes. In fact, in all our years in the decking and railing business, we haven't felled a single tree. **Not one.**

Our decking, in addition to reclaimed wood and sawdust, used to be plastic packaging. (With every 500-square-foot Trex deck containing over 140,000 recycled plastic bags, we happen to be one of the largest plastic recyclers in the U.S.) Most of our products are made almost completely from recycled materials, which means Trex saves 400 million pounds of plastic and wood from landfills each year.

Plus, Trex strives to make its proprietary manufacturing methods as green as possible. We recycle almost 100% of our factory refuse back into the manufacturing line, and some plant hydraulics are even powered by vegetable oil. So our decking, railing and steel deck framing contribute to LEED points on any building.

At Trex, we do the extra work to make everyone's leisure time that much more pleasurable. And we've been this way for more than 20 years—well before green was a buzzword.

Why?

Because, in the end, all of us want to look out on our decks and know that we've done our part.



Whether you need room for a grill or a row of chaise lounge chairs, you'll want to plan the size and shape of your deck around how you'll use it. And size has a big impact on deck cost, so be sure to use our **ONLINE COST CALCULATOR** tool for a helpful estimate as you plan.

Substructure

Though your deck is more than the sum of its parts, some of its parts have to do a little extra heavy lifting, and a sturdy substructure can ensure its stability. Consult our **DECK PLANNING BASICS PAGE** for critical checklists and considerations before getting started.

Select Your Decking

With so many colors and grain patterns available, this can be the hardest part of the decision-making process. Browse our inspiration galleries for some ideas, and ORDER SAMPLE BOARDS from TREX.COM/SHOP to look, feel, test and compare before you start building.

Choose Your Railing

Your railing design is arguably the best chance to let your style shine through and custom-tailor your outdoor aesthetic, so make sure you don't wait until the last minute to think about it. Our **RAILING IPAD APP** is the best resource for testing out your designs before getting started.

Add the Finishing Touches

Finally, it's time for the icing on the cake-the furniture, lighting, storage and other bits and bobs that make your deck truly yours. These accessories are designed to fit seamlessly with the rest of our decking and railing lines. Ready to build? You can find a **TREXPRO**[®] **CONTRACTOR** and your nearest Trex dealer on our website to take it from here.

Visit **trex.com/5steps** *for more information on these important* steps and a host of other resources to make your deck build easier.




Inspired by open skies, fair breezes and sunsets, we find it best to keep things simple. These five easy decisions will help you get started on the path to a brand-new outdoor living space-made even easier with the cutting-edge tools available on trex.com.

decking: Enhance in Beach Dune



Size and Shape



framing: Trex Elevations decking: Transcend in Spiced Rum & Vintage Lantern railing: Transcend in Classic White & Vintage Lantern with round aluminum balusters in Charcoal Black also featuring: Trex Outdoor Lighting

Trex Elevations[®] Steel Deck Support Posts are manufactured and sold by M. Cohen and Sons, Inc., d/b/a The Iron Shop, under a Trademark License Agreement with Trex Company, Inc. Warranty provided by manufacturer.

Think about it: if you're going to invest in a long-lasting deck, don't you want its support to last just as long?

When you daydream about your dream deck, chances are you haven't given much thought to what lies beneath it. Even though your deck's substructure may not make the family photos, it's actually the most important part of your new outdoor space. Trex Elevations[®], our system of durable, triple-coated steel beams, joists and tracks, creates the strongest, straightest and, yes, greenest structures down below.

Trex Elevations®

High performance

- » Triple-coated steel offers consistency, durability and reliability that other materials can't
- » Rot- and termite-proof steel lasts much longer than wood
- » Non-combustible material with a Class 1A fire rating offers peace of mind
- » Rigorously tested for safety and chemical-free, unlike pressure-treated lumber
- » CCRR-0186 code compliance research report approves Trex Elevations for exterior use



Perennial beauty

- » Precision engineering ensures surfaces remain flat over time
- » Unparalleled strength enables cantilevers and dramatic curved deck designs
- » Neutral finish blends with most decking colors making the substructure less visible from above
- » Longer spans allow for fewer posts and less obstructed views
- » Consistent dimensions mean a level run from house to edge

Trex through and through


- » Contains a minimum of 25% recycled steel and is a 100% renewable resource
- » Works beautifully with the Trex RainEscape drainage system
- » Backed by the Trex 25-Year Limited Residential Warranty*

STEADFAST STRUCTURAL SUPPORT, COMMERCIAL-GRADE DURABILITY

Whether you're looking to improve the longevity of your private deck or build a public walkway that can handle the public, Trex Elevations is the only steel deck framing system specifically engineered for outdoor use.


Trex Elevations

Designed for exterior use



Interior-Grade Steel Framing

Intended for interior use only




Due to increased risk of corrosion, Trex Elevations may not be installed (1) within 3,000 ft (914.4 m) of any body of salt water or (2) under the surface or within the splash zone of any body of fresh water. Any such installations shall void the Trex Limited Warranty.

TRADITIONALLY, DECKING CAME BROWN OR LIGHTER BROWN

Fortunately, we've never been one for tradition.





TREX RAILING




Homes come in all hues, so why shouldn't decking and railing? Our spectrum of fade-resistant colors features varying tones and wood-grain finishes to give you unmatched control over the design of your deck. And now, for the first time ever, you can order a sample board right to your doorstep to get an up-close glimpse at what your future deck might be like. Just visit trex.com/shop to get started.

TREX OUTDOORLIGHTING

Classic White





ORDER A DECK BOARD SAMPLE



See how Trex will look in your outdoor space with a deck board sample sent straight to your home. All 18 of our decking colors are available online at **trex.com/shop** so be sure to order all of your favorites.

RAILINGS WHAT ALL THE BEST DECKS ARE WEARING DESIGN - ANY DUO YOU LIKE FOR ANY HOUSE, ANY CLIMATE, ANY LOOK







Coordinate It: Charcoal Black rails with Tiki Torch cocktail rail, Charcoal Black posts & Charcoal Black square aluminum balusters

Looking for even more options? Visit trex.com/railing to check out our railing galleries.

ISLAND MIST





Coordinate It: Classic White rails with Island Mist cocktail rail, Classic White posts & Charcoal Black square aluminum balusters



Contrast It: Classic White rails, Classic White posts & Classic White composite balusters



Change It Up: Charcoal Black aluminum rails, Charcoal Black aluminum posts and Charcoal Black square aluminum balusters







Rum cocktail rail, Classic White posts & Classic White composite balusters



HAVANA GOLD






Coordinate It: Charcoal Black rails with Havana Gold cocktail rail, Charcoal Black posts & Charcoal Black composite balusters



Contrast It: Charcoal Black aluminum rails, Charcoal Black posts & Charcoal Black square Classic White posts & Charcoal Black round aluminum balusters



Change It Up: Vintage Lantern rails, aluminum balusters





Coordinate It: Charcoal Black rails with Lava Rock cocktail rail, Charcoal Black posts & Charcoal Black round aluminum balusters

Railing is the most visible part of your deck. Why not treat it that way?

14



Contrast It: Classic White rails, Classic White posts & Classic White composite balusters



Change It Up: Bronze aluminum rails Classic White posts & Bronze square aluminum balusters





Coordinate It: Classic White rails with Spiced Contrast It: Charcoal Black aluminum rails, Vintage Lantern posts & Charcoal Black square aluminum balusters



Change It Up: Vintage Lantern rails, Classic White posts & Charcoal Black round aluminum balusters



Contrast It: Classic White rails, Classic White posts & Charcoal Black round aluminum balusters




Change It Up: Charcoal Black aluminum rails, Charcoal Black posts & Charcoal Black square aluminum balusters

Trex Transcend

DECKING & RAILING SYSTEM

outperforms, outlasts, outdecks all others





UNPARALLELED BEAUTY

With high-traffic technology and a naturallooking wood-grain finish, Transcend decking is specially designed to look ageless—even decades after it is installed. Featuring rich, nature-inspired colors, our decking pairs seamlessly with our railing options to culminate in the deckscape of your dreams.

HASSLE FREE

No sanding. No staining. No painting. No kidding. In fact, the only major piece of maintenance your Transcend decking and railing require is washing with soap and water or a pressure washer,* compliments of the protective Transcend shell technology.

BEST

With a tough-as-nails protective shell, unrivaled low maintenance and wood-grain beauty to match, the one and only Transcend[®] decking is the ultimate expression of form and function. Pair it with our Transcend railing and you have an unmatched outdoor experience. Together they offer tons of design options, enabling you to put your signature on your outdoor living space with our luxury line.



Like what you don't see? Trex Hideaway Hidden Fasteners are sub-surface clips that install our decking boards without traditional deck screws, leaving only a smooth, unfettered finish behind.

FADE, STAIN, SCRATCH AND MOLD RESISTANT

Mother Nature's worst continues to bring out our best. Whether a nasty nor'easter or a scorching Arizona summer, Transcend maintains its vibrant color and luxurious finish. Same goes for man-made disasters. Wet planter pots, red-wine rings and dragged chaise lounges are no match for the Transcend fade-, stain-, scratch- and mold-resistant shell.

EARTH FRIENDLY

Transcend decking is made from 95% recycled materials, from reclaimed wood and sawdust to plastic packaging. And our railing contains at least 40% recycled material.

Trex Transcend®

end in Spiced Rum & Vintage Lantern d in Classic White ecking: Transcen a: Transcen ouse cocktail rail with Tre

TRANSCEND DECKING

High performance

- » Engineered with unrivaled fade, stain, scratch and mold resistance
- » Hassle-free maintenance takes the work out of the weekend

Perennial beauty

- » Designed in a range of rich colors with a natural-looking grain pattern
- » Available in two distinctive styles—premium tropical colors and rich classic earth tones
- » Pairs with Trex Transcend railing in coordinating colors, plus Classic White and Charcoal Black

Trex through and through

- » Made from 95% recycled materials
- » Backed by the Trex 25-Year Limited Residential Fade & Stain Warranty

TRANSCEND RAILING

High performance

- » Stands firm with a strong, sturdy look and feel
- » Built with the same incredible durability as Transcend decking—won't rot, warp or splinter

Perennial beauty

- » Modular components let you mix and match your customized look with any Trex railing line
- » Pairs perfectly with Transcend decking—also compatible with any decking line

Trex through and through

- » Contains a minimum of 40% recycled material
- » Backed by the Trex 25-Year Limited Residential Warranty

transcend with flying colors

DECKING

PREMIUM TROPICAL COLORS



CLASSIC EARTH TONES



ORDER A DECK BOARD SAMPLE visit trex.com/shop



RAILING



Tropical colors are also available in a 2x6 profile

GET THE FLOORING LOOK

As an alternative to our traditional deck board, we offer an indoor-style, slanted grooved porch board for a virtually gap-free look. Porch boards are available in Gravel Path & Spiced Rum.

TrexReveal®

ALUMINUM RAILING

minimalist style, maximum strength



Whether your favorite view is the city skyline, purple mountain majesties or galaxies far, far away, Trex Reveal® aluminum railing makes it a sight to behold. Sleek and minimalist, Reveal is specially crafted to complete your deck while emphasizing the view beyond it. Reveal is hallmark Trex, with sleek-yet-sturdy construction that easily spans long lengths for panoramic stretches. It can also be used across the entire Trex decking line, giving you a perfect stylistic alternative to pair with the deck of your dreams.



High performance

- » Aluminum possesses unparalleled strength with minimal geometry
- » Powder coating allows the aluminum to retain color and resist corrosion
- » Washes clean with soap and water for low maintenance
- » Offered with an array of bracket options for easy installation

Perennial beauty

- » Perfect for a sleek, contemporary aesthetic in any setting
- » Increases visibility to maximize scenic views
- » Monochromatic design works with all types of projects
- » Two baluster options (square and round) and two post choices (aluminum posts and composite post sleeves) available
- » Over-the-post option creates a continuously graspable handrail

Trex through and through

- » Compatible with all Trex decking lines—not to mention stone patios, concrete porches and more
- » Backed by the Trex Reveal Railing Limited Warranty
- » Contains a minimum of 40% recycled aluminum, a 100% renewable resource





THE STRENGTH OF TREX REVEAL—NOW IN A GATE

Designed to work with all Trex railing, Trex aluminum gates offer an extra level of safety and strength, so your whole family can enjoy time on the deck.

- » Welded panel with slide-on posts makes installation fast and flexible
- » Customizable width to fit almost any openingmaximum opening is 48"
- » Superior adjustable hinges and locking latch
- » Design options include three colors and two baluster profiles: Charcoal Black, Bronze and Classic White; and square and round balusters

Trex Enhance[®]

even comfort has a cutting edge



BETTER

Enhance[®] is our low-maintenance composite that offers all the charm and none of the trouble of real wood. With its high-definition grain pattern and hidden fasteners, Enhance features a rich, sophisticated finish at a value that only adds to its appeal.

High performance

Perennial beauty

- » High-performance shell is fade, stain and mold resistant
- » Cleans easily with just soap and water or a pressure washer*
- » Soft, splinter-free finish is comfortable underfoot
- » Versatile colors feature a refined wood grain that adds depth and luxury
- » Pairs beautifully with all Trex railing lines try either a one-color look or a completely unique mix

Trex through and through

- » 95% recycled plastic, wood and sawdust keeps it green
- » Backed by the Trex 25-Year Limited Residential Fade & Stain Warranty



COMPATIBLE WITH ALL TREX RAILING

No outdoor living space is complete without railing that perfectly captures its surroundings. Enhance decks mix and match with all of our Trex railing lines. For complementary styles that will gain you plenty of compliments, check out trex.com for railing pairing suggestions.

UNFETTERED FINISH WITH TREX HIDEAWAY HIDDEN FASTENING SYSTEM

The innovative Trex Hideaway Universal Fasteners are an option with grooved-edge boards for perfectly consistent spacing and no visible screws on top.

EARTH FRIENDLY

We don't harvest rainforests to make Trex. In fact, we've never even chopped down a single tree. Enhance decking is made from recycled materials, from reclaimed wood and sawdust to plastic packaging.





ORDER A DECK **BOARD SAMPLE** visit trex.com/shop

Saddle



For easier cutting, try Trex Blade™, the first saw blade specially designed for composite decking materials. You'll get cleaner cuts with no swirl marks and a longer cutting life.

DECKING & RAILING

TrexSelect[®]

DECKING & RAILING SYSTEM

it's Trex, simplified



GOOD

With such an easy design scheme, Trex Select[®] decking and railing adds our legendary luxury to your home more affordably than ever. While Trex Select decking features our hallmark highperformance shell technology and nature-inspired colors, the complementary white railing is a simple solution for a clean finish. Now more than ever, you can complete your high-caliber outdoor living system without compromise.



* See Care & Cleaning Guide at trex.com





TREX SELECT DECKING

High performance

- » Stands up to both weather and weekend mishaps alike, thanks to its exclusive Trex shell
- » Cleans easily with just soap and water or a pressure washer*
- » Resists stains and mold better than early-generation composites

Perennial beauty

- » Easygoing colors pair smartly with any style home
- » Offers a soft, splinter-free finish that's comfortable underfoot

Trex through and through

» Backed by the Trex 25-Year Limited Residential Fade & Stain Warranty

TREX SELECT RAILING

- High performance
 - » Won't warp, rot or splinter
 - » Never needs painting or staining
 - » Installs easily and quickly with an external bracket system

Perennial beauty

- » Mix and match Classic White rails and balusters with Trex post sleeves, post sleeve caps and post sleeve skirts in any of our seven colors
- » Versatile white complements any decking or house color to create luxe outdoor living spaces

Trex through and through


- » Designed for the DIY homeowner
- » Contains a minimum of 40% recycled material
- » Backed by the Trex 25-Year Limited Residential Warranty

Railing in Classic White
















5





1 Beaufort. Sou What could be chic home-stair-deck match? Is Mist cocktail rail and stair treads, Charcoal Black square aluminum balusters and Classic White post sleeves and caps make the back door as glorified as the front.

2 Stratham, New Hampshi Sometimes all a deck needs is a little wayfinding. Our easily installed stair riser lights answer the call on these dramatically curved beauties.

3 Ojai, California Nothing says low-maintenand fun in the sun quite like a war Enhance deck in Beach Dune with a Saddle perimeter.

anscend decking in Island and sop luxe tropical p

5 United Kingdom Who says decking has to be used for decking? Here, Transcend in Tiki Torch and Spiced Rum is being used to struct an innovative plar





luces an entirely ne d neutral to our

6 U.S. Virg in Gravel Path I

7 Cleve Not only can Trex

8 Hollywood Hills The cool grey to igh-desi n Island Mist give it a fier

is always up to

10 A ew Jers Trex Outo ble as it is


11 Cleveland, O

ma? Yes please. All 1




Trex Fascia

we have the edge on your deck



You've got your deck dreamed up from top to bottom, but what about the sides? With Trex Fascia you can make your outdoor space stand out from any angle, enhancing the beauty and value of your home. Engineered to last as long as the rest of your deck with virtually no fading or staining, our fascia and riser boards offer a finishing touch in 19 colors to perfectly match the entire high-performing Trex lineup.



High performance


- » Low maintenance, with no sanding, staining or painting required
- » Superior resistance to fade, stains, rot, mold and termites
- » Impact resistant for long-lasting beauty

Perennial beauty

- » Premium design matches any composite, wood or PVC decking
- » Trex Universal Fascia in White matches practically everything
- » Color fascia matches each Trex decking line: Transcend, Enhance and Select
- » Smart style offers a low sheen, natural wood-grain pattern

Trex through and through

- » Constructed from 95% recycled materials
- » Backed by the Trex 25-Year Limited Residential Fade & Stain Warranty
- » Adds sophistication and value to your property



A SPECTRUM OF COLORS TO MATCH YOUR TREX DECKING



Universal Fascia

Trex[®]Outdoor Lighting[®]

the bright idea



With the right light, you can take any outdoor space from invisible to inviting. That's why Trex has expanded our lighting offering to cover the whole landscape. Trex[®] OutdoorLighting[™] enhances curb appeal with energy-efficient illumination that makes for safer nighttime strolls and impressive deckside ambience. Best of all, the lights install in a snap and disappear into their surroundings for a truly sophisticated look.

High performance

- » Energy-efficient Cree[®] LEDs give off long-lasting illumination
- » Dimmable glow matches the mood of any outdoor party or dinner
- » Remains weather-proof and salt air resistant in the toughest climates
- » Offers total lighting control via timer and optional dimmer with remote

Perennial beauty

- » Sophisticated fixtures create custom lighting effects and designs
- » Ambient light improves the safety of paths and stairways
- » Out of sight during the day, beautiful light every night
- » Available in a variety of colors to complement any outdoor space

Trex through and through

- » Part of a complete Trex package
- » Trex LightHub[®] connection system makes set-up a snap for DIYers
- » Lighting builds into new decks and landscaping or retrofits into existing spaces
- » Keeps things green with 75% less energy usage than traditional incandescent lighting
- » Protected under warranty for years of outdoor use*

Both deck lighting and landscape lighting are compatible with the Trex LightHub connection system—a simple way to set up and control your lights.

DECK LIGHTING



LANDSCAPE LIGHTING



COMING SOON TO TREX.COM/SHOP

Order Trex Landscape Lighting or find a dealer near you on our website





Trex Spiral Stairs



step up and stand out

Engineered to last, Trex[®] Spiral Stairs[™] offer all of the space-saving advantages of traditional spiral staircases but with Trex style, strength and simplicity. And with a range of design options like two material choices and custom, highperformance composite treads—the Trex Spiral Stairs system is the ultimate staircase alternative.



High performance

- » Strong and stable design maximizes tight outdoor spaces
- » Modular components make transport and installation easy
- » Assembles as a complete system with railing and supports included
- » Superior protection against the elements

Perennial beauty

- » Step treads can be capped with Trex high-performance composite to match your deck's color perfectly
- » Low maintenance with no painting necessary
- » Available in powder-coated aluminum in a range of colors or galvanized steel

Trex through and through

- » Made from up to 60% recycled materials
- » Non-combustible material offers peace of mind
- » Integrates easily with Trex OutdoorLighting riser lights
- » Backed by a 25-Year Manufacturer's Warranty*

Trex Outdoor Storage



Mix the comforts of your indoor space with the natural beauty of your outdoor space. With Trex® Outdoor Storage™, add undeniable style and utility to your yard with storage that's easily matched to your deck and customized for your needs. From hidden ice drawers for a cool lemonade to drawer boxes for the kids' baseball gear, our storage solutions maximize your space by giving you extra room for all your backyard essentials.



*Trex[®] Spiral Stairs[™] are manufactured and sold by M. Cohen and Sons, Inc., d/b/a The Iron Shop, under a Trademark

32 License Agreement with Trex Company, Inc. Warranty provided by manufacturer.

*Trex[®] Outdoor Storage[™] products are manufactured and sold by NatureKast Products, LLC., under a Trademark License Agreement with Trex Company, Inc. Warranty provided by manufacturer.

hide and chic

High performance

- » Engineered to withstand the elements and resist corrosion
- » Made with high-density, low-maintenance resin that won't warp or crack
- » Made from 100% water-resistant material

Perennial beauty

- » Natural-looking detailing, inspired by real teak
- » Customize the look with marble, granite or stone tops (purchased separately)

Trex through and through

- » Comes in all Trex Transcend tropical colors to impeccably match your deck
- » Available in a wide variety of sizes and storage options
- » Backed by a 25-Year Limited Manufacturer Warranty*



Trex[®]Outdoor Furniture[®]



deep-seated beauty

It's luxury, squared: comfortable, durable, sustainable furniture in a variety of styles and colors that coordinate with our decking and railing. Each piece features an ergonomic design superbly crafted with a splinter-free finish for smooth, elegant ease. Plus, true to form, 90% of Trex[®] Outdoor Furniture™ comes from recycled material. So it's used to being one with nature.

Trex Pergola



Trex[®] Pergola[™] keeps outdoor living from feeling so…outdoors. Add a customizable pergola to your sun-soaked space and get a shady, sturdy retreat that won't crack, rot or chalk-virtually upkeep-free.



*Trex® Pergola™ products are manufactured and sold by Home & Leisure, Inc., d/b/a/ Structureworks Fabrication, under a Trademark License Agreement with Trex Company, Inc. Warranty provided by manufacturer.

High performance

- » No staining, sealing, painting or refinishing-ever
- » Laughs off brutal sunbake and ignores withering salt spray
- » Stain-, spill- and rot-proof too

Perennial beauty

- » Distinctive colors you can mix and match with any decking or patio hardscape
- » Boasts ergonomic design and a splinter-free finish for all-day comfort
- » Colorful Sunbrella® cushions and pillows add flourish to your furniture
- » Trex curves coordinate beautifully with our decks

Trex through and through

- » Unique designs, exclusive to Trex
- » Over 90% recycled materials keep things one with nature
- » Five-Year Limited Warranty means guaranteed weatherproofing*
- » The only Trex you get to keep when you move



Sunbrella[®] is a registered trademark of Glen Raven, Inc.

*Trex[®] Outdoor Furniture™ products are manufactured and sold by Poly-Wood, Inc. under a Trademark License Agreement with Trex Company, Inc.

Five-Year Limited Warranty provided by manufacturer. 34

above and beyond

High performance

- » Resists rot, splitting, chalking and insects
- » Engineered to withstand winds up to 160 mph
- » Easy-to-install kits come complete with hardware and instructions

Perennial beauty

- » Premium designs in a wide range of options and customizable sizes, including round or square columns
- » Match your pergola to your deck with our Trex colors or create a custom color
- » Add a canopy for additional shade or rain protection
- » Available in attachable or free-standing profiles

Trex through and through

- » Backed by a Limited Manufacturer Warranty*
- » Built for the do-it-yourselfer or easily installed by a TrexPro
- » Get integrated illumination for your pergola with Trex Outdoor Lighting





outwits the elements

High performance

and caulk

ceiling

and lighting

Perennial beauty

through its own gutters » No leaks, no sitting water

» Clever trough system whisks water out

» Installs easily with utility knife, staple gun

» Invisible channeling system installs


» Enables the worry-free outfitting of entertainment systems, speakers

Trex through and through

» Compatible with Trex Elevations

» Backed by an industry-leading 20-Year Limited Residential Warranty*

between an upstairs deck and downstairs



Trex[®]RainEscape[®]

The unique Trex[®] RainEscape[®] under-deck drainage system keeps rain, spills and snow melt from dripping through the decking boards above, creating a dry room below.



Trex RainEscape with Trex Elevations



*Trex® RainEscape® products are manufactured and sold by Dri-Deck Enterprises, LLC under a Trademark License Agreement with Trex Company, Inc. 36 RainEscape[®] is a federally registered trademark of Dri-Deck Enterprises, LLC. A 20-Year Limited Warranty is provided by the manufacturer.

You've flipped through galleries

ORDER DECK BOARD SAMPLES AT TREX.COM/SHOP



THEN HEAD BACK TO OUR WEBSITE TO FIND YOUR NEAREST TREX DEALER OR CONTRACTOR

Now it's time to see the real thing



Compare samples to your siding

Feel the wood grain on your bare feet

Spill wine on them

Trex Elevations

COMPONENT	DESCRIPTION	ITEM NUMBE
Track Image: Components Actual dimensions: 1.25 in x 8.25 in x 12 ft / 16 ft / 20 ft (31 mm x 209 mm x 365 cm / 487 cm / 609 cm) Image: Component and the second	1.25 in x 8.25 in x 12 ft—Track 1.25 in x 8.25 in x 16 ft—Track 1.25 in x 8.25 in x 20 ft—Track	CG0Q0812ET60 CG0Q0816ET60 CG0Q0820ET60
Beam Actual dimensions: 2.125 in x 8.25 in x 12 ft / 16 ft / 20 ft (53 mm x 209 mm x 365 cm / 487 cm / 609 cm)	2.125 in x 8.25 in x 12 ft—Beam 2.125 in x 8.25 in x 16 ft—Beam 2.125 in x 8.25 in x 20 ft—Beam	CG020812EB20 CG020816EB20 CG020820EB20
Joist Actual dimensions: 1.625 in x 8 in x 12 ft / 16 ft / 20 ft (41 mm x 203 mm x 365 cm / 487 cm / 609 cm) Additional lengths are available by special order.	1.625 in x 8 in x 12 ft—Joist 1.625 in x 8 in x 16 ft—Joist 1.625 in x 8 in x 20 ft—Joist	CG020812EJ50 CG020816EJ50 CG020820EJ50
Beam End Cap	2.125 in x 8.125 in—Beam End Cap (40/box) [2.125 in x 8.125 in (53 mm x 206 mm) actual dimensions]	ELVENDCAP40
Adjustable Mid-Span Block	4 in x 9.875 in (10 sets) [4 in x 9.875 in (101 mm x 250 mm) actual dimensions]	ELVMIDSPANBLC
Adjustable Beam Block	5 in x 9.875 in (10 sets) [5 in x 9.875 in (127 mm x 250 mm) actual dimensions]	ELVBEAMBLOCK
Deck Support Post Actual dimensions: 3.5 in x 3.5 in x 10 ft (88 mm x 88 mm x 304 cm) 5.5 in x 5.5 in x 10 ft (139 mm x 139 mm x 304 cm)	3.5 in x 3.5 in x 10 ft—Deck Support Post 5.5 in x 5.5 in x 10 ft—Deck Support Post	www.trexdeckpos
Elevations Universal Connector Clip (glass-filled nylon with stainless steel screw)	50 sq. ft (4.6 sq. m) box	ELVUNIVCLIP
Elevations Start Clip (stainless steel with stainless steel screw)	400 sq. ft (37.2 sq. m) bag	ELVSTARTCLIP
Elevations-Approved Spray Paint Net weight 12 oz.	Available in Elevations grey only.	1-800-966-7580
ING COMPONENTS (for use with Trex Elevations)		
Joist Mount Post with Cap & Skirt	2.5" x 2.5" x 63" [2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]	XXJMNTPOST63
Elevations Rail Post Blocking	10/box	ELVRAILPOSTBL
Elevations Fascia Mount Kit (for use with Elevations steel framing)	For use with Joist Mount Reveal Railing Post only.	XXFMNTELEV

Trex Decking, Porch Flooring & Fascia



DESC	RIPTION	ITEM NUMBER	COLORS
1 x 6 x 12'	Transcend	XX010612TS48	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL
1 x 6 x 16'	Transcend	XX010616TS48	
1 x 6 x 20'	Transcend	XX010620TS48	
1 x 6 x 12'	Enhance	XX010612ES48	BD, CS, SD
1 x 6 x 16'	Enhance	XX010616ES48	
1 x 6 x 20'	Enhance	XX010620ES48	
7/8 x 6 x 12'	Select	XX010612SS64	MB, PG, SD, WG, WB
7/8 x 6 x 16'	Select	XX010616SS64	
7/8 x 6 x 20'	Select	XX010620SS64	
1 x 6 x 12'	Transcend	XX010612TG48	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL
1 x 6 x 16'	Transcend	XX010616TG48	
1 x 6 x 20'	Transcend	XX010620TG48	
1 x 6 x 12'	Enhance	XX010612EG48	BD, CS, SD
1 x 6 x 16'	Enhance	XX010616EG48	
1 x 6 x 20'	Enhance	XX010620EG48	
7/8 x 6 x 12'	Select	XX010612SG64	MB, PG, SD, WG, WB
7/8 x 6 x 16'	Select	XX010616SG64	
7/8 x 6 x 20'	Select	XX010620SG64	
1 x 4.5 x 12'	Transcend Porch	XX010512TP60	GP, SR
1 x 4.5 x 16'	Transcend Porch	XX010516TP60	
1 x 8 x 12' 1 x 8 x 12' 1 x 8 x 12' 1 x 8 x 12' 1 x 8 x 12'	Transcend Enhance Select Universal White	XX010812TS60 XX010812ES60 XX010812SS60 WW010812ES60	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL BD, CS, SD MB, PG, SD, WG, WB WOOD GRAIN WHITE
1 x 12 x 12'	Transcend	XX011212TS40	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL
1 x 12 x 12'	Enhance	XX011212ES40	BD, CS, SD
1 x 12 x 12'	Select	XX011212SS40	MB, PG, SD, WG, WB
1 x 12 x 12'	Universal White	WW011212ES40	WOOD GRAIN WHITE
2 x 4 x 16'	Transcend	XX020416TS48	FP, GP, TH, VL
2 x 6 x 12'	Transcend	XX020612TS32	HG, IM, LR, SR, TT
2 x 6 x 16'	Transcend	XX020616TS32	
2 x 6 x 20'	Transcend	XX020620TS32	
2 x 6 x 12'	Select	XX020612SS32	MB, PG, SD, WB
2 x 6 x 16'	Select	XX020616SS32	
2 x 6 x 20'	Select	XX020620SS32	
P Gravel Patl S Rope Swin H Tree House	g MB Madeira	a WG Winche	-
	DESCRIPTIC	DN	ITEM NUMBER

50 sq. ft (4.6 m²) box 500 sq. ft (46.5 m²) bucket 500 sq. ft (46.5 m²) bucket with collated pneumatic screws

400 sq. ft (37 m²) bag

50 sq. ft (4.6 m²) box 500 sq. ft (46.5 m²) bucket

Router Bit

900 Clips (150 strips)—500 sq. ft 450 Clips (75 strips)-250 sq. ft


CONNECTCLIP CLIPPAIL GUNCLIP

UNIVSTARTCLIP

UNIVCONCLIP DA00002

ROUTBIT

UNIVGUNCLIP UNIVGUNCLIP01



RAILINGa lot easier than it looks

Selecting the right railing is pretty easy, but each Trex railing line is a little different. Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design. For additional guidance, the chart to the left depicts each railing system's components.

TREX POST COMPONENTS	REVEAL RAILING
TRANSCEND RAILING	TREX SELECT RAILING

Trex Post Sleeves, Caps & Skirts

• These components can be used as steps 1 & 2 for all Trex railing lines.

STEP	COMPONENT		DESCRIPTION		ITEM NUMBER
1	Post Sleeve		4" x 4" x 39" Post Sleeve [4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimens 4" x 4" x 108" Post Sleeve [4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimen	-	XX040439APS XX0404108APS
	d 6x6 post sleeve fits over a 4x4 ted post or equivalent post mount.		6" x 6" x 39" Post Sleeve [5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimens 6" x 6" x 108" Post Sleeve [5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 cm) external dimensi	-	WT060639APS WT0606108APS
2a Also available	Post Sleeve Cap		Flat 4" x 4" Post Sleeve Cap (12/box) Pyramid 4" x 4" Post Sleeve Cap (12/box) [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] Flat 6" x 6" Post Sleeve Cap (12/box) Pyramid 6" x 6" Post Sleeve Cap (12/box) [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]		XXSQCAP4X4 XXPYCAP4X4 WTSQCAP6X6 WTPYCAP6X6
(2b)	Post Sleeve Skirt		4" x 4" Post Sleeve Skirt (12/box) [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] 6" x 6" Post Sleeve Skirt (12/box) [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]		XXSKIRT4X4 WTSKIRT6X6
ACCESSORY	Surface Mount Post (for use with 4 x 4 composite post sleeve)	Į	Aluminum Surface Mount Post for 36" (914 mm) Rail Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 9 Aluminum Surface Mount Post for 42" (1066 mm) Ra Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 9 Surface Mount Post Hardware—Wood (10 kits/box)	95 mm x 177 mm) ail Height (1/box)	ALPOSTMOUNT36 ALPOSTMOUNT42 ALPOSTHWDECK
ACCESSORY	Joist Mount Post (for use with 4x4 composite post sleeve)		Aluminum Joist Mount Post for use with all Trex railing Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 9		CPJMNTPOST63
ACCESSORY	Foot Block	E	Adjustable Foot Blocks (50/box)—White Adjustable Foot Blocks (50/box)—Colored		RWFTBLK XXFTBLK
XX = CO 40	LOR PREFIX: WT Classic White BK Charcoal Black	FP Fire Pit GP Gravel Patl	RS Rope Swing VL Vintag h TH Tree House	e Lantern	

Trex Transcend Railing

• Transcend is either a 5-step or 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2). Then choose each component separately for a custom design (5-step).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
3 a	Top & Bottom Rails In this step, two rails (1 top, 1 bottom) must be selected.	6' Crown Top Rail 8' Crown Top Rail	XXCROWNTR06 XXCROWNTR08
		6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail	XXUNIVTBR06 XXUNIVTBR08
3b		[6' Rail: 67.5 in (171 cm) actual length; 8' Rail: 91.5 in (232 cm) actual length]	
	Crown Universal		
4	Balusters/Spindles	Square Balusters for 36" Rail Height (16/pack) [1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) actual dimensions]	XX020230SBK
	See chart below for number of balusters needed to complete each railing section.	Square Balusters for 42" Rail Height (16/pack) [1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) actual dimensions]	XX020236SBK
		Colonial Spindles for 36" Rail Height (16/pack) [1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) actual dimensions]	WT020230CSP
BALUSTER TYPE	PER 6' PER 8' SECTION SECTION	Colonial Spindles for 42" Rail Height (16/pack) [1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) actual dimensions]	WT020236CSP
-	I (Horizontal application) 13 18 I (Stair application) 11 15	Round Aluminum Balusters for 36" Rail Height (20/pack) [.75 in x 30.25 in (19 mm x 768 mm) actual dimensions]	XXTA30RBK
Aluminum (Horizo	intal application) 15 20	Round Aluminum Balusters for 42" Rail Height (20/pack) [.75 in x 36.25 in (19 mm x 920 mm) actual dimensions]	XXTA36RBK
		Square Aluminum Balusters for 36" Rail Height (20/pack) [.75 in x 30.25 in (19 mm x 768 mm) actual dimensions]	XXTA30SBK
	ers are available in Charcoal Black, I Bronze only (BK, WT, BZ).	Square Aluminum Balusters for 42" Rail Height (20/pack) [.75 in x 36.25 in (19 mm x 920 mm) actual dimensions]	XXTA36SBK
5	Accessory Infill Kit » 2 Baluster Spacers » Adjustable Foot Block	6' Accessory Infill Kit for Square/Colonial Balusters—Horizontal 6' Accessory Infill Kit for Square/Colonial Balusters—Stair 8' Accessory Infill Kit for Square/Colonial Balusters—Horizontal 8' Accessory Infill Kit for Square/Colonial Balusters—Stair	XXSQHIK06 XXSQSIK06 XXSQHIK08 XXSQSIK08
» Mounting Hardware	» Mounting Hardware	6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Round Aluminum Balusters—Stair 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDHIK06 XXRDSIK06 XXRDHIK08 XXRDSIK08
	[6' Rail: 675 in (171 cm) actual length;	6' Accessory Infill Kit for Square Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Square Aluminum Balusters—Stair 8' Accessory Infill Kit for Square Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Square Aluminum Balusters—Stair	XXASBHIK06 XXASBSIK06 XXASBHIK08 XXASBSIK08
	8' Rail: 91.5 in (232 cm) actual length]	6' Glass Panel Accessory Kit [Glass panel mounting hardware; glass panel not included]	XXGLIK06
CCESSORY	Transcend Accessories	Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair	XXHZACCYKIT XXSTACCYKIT
	All accessories include a quantity of 12 per box	Transcend RSB Bracket Pack—Horizontal (24/box) Transcend RSB Bracket Pack—Stair (24/box)	TSHBRACKET TSSBRACKET
	unless otherwise noted.	0 Degree Rail Gasket Pack—Horizontal 0 Degree Rail Gasket Pack—Stair	XX00HGASK XX00SGASK
		22.5 Degree Gasket Pack	XX22HGASK
		45 Degree Birdsmouth Gasket Pack (for 4 x 4) 45 Degree Gasket Pack (for 6 x 6)	XX45RSBADAPK WT45HGASK
Or simp	ly choose a rail & baluster kit in Cla	ssic White (3-step).	
	Rail & Baluster Kit	6' x 36" Rail & Baluster Kit—Horizontal	WT0636HRK
3	» Crown Top Rail » Universal Bottom Rail	6' x 36" Rail & Baluster Kit—Stair	WT0636SRK
	» Square Balusters » Baluster Spacers	8' x 36" Rail & Baluster Kit — Horizontal 8' x 36" Rail & Baluster Kit — Stair	WT0836HRK WT0836SRK
	» Adjustable Foot Block » Mounting Hardware	[Actual dimensions: 6' Rail: 67.5 in x 36 in (171 cm x 914 mm); 8' Rail: 91.5 in x 36 in (232 cm x 914 mm)]	
	Available in Classic White only.		

XX = COLOR PREFIX:

Trex Select Railing

• Select is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail & baluster kit (step 3).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
3	Rail & Baluster Kit » Top Rail » Bottom Rail » Square Balusters » Adjustable Foot Block » Hardware Pack Available in Classic White only.	6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair [Actual dimensions: 6' Rail: 67.5 in x 36 in (171 cm x 914 mm); 8' Rail: 91.5 in x 36 in (232 cm x 914 mm)]	WT0636HSELK WT0636SSELK WT0836HSELK WT0836SSELK
ACCESSORY	Select Accessories	Mounting Hardware for Cut Rails—Horizontal (10 kits/box) Mounting Hardware for Cut Rails—Stair (10 kits/box) 45 Degree Adapter Kit (10 kits/box)	WTHSELCUT WTSSELCUT WTSEL45ADP

Trex Reveal Aluminum Railing

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
	Aluminum Post with Cap & Skirt	2.5" x 2.5" x 37" Post—Horizontal (IRC Compliant) [2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions]	XXAL252537RCAP
	Aluminum Crossover Post 🛛 🏠 🕋	2.5" x 2.5" x 43" Post—Horizontal (IRC Compliant) [2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions]	XXAL252543RCAP
	Reveal aluminum posts fulfill steps 1 & 2. If using Trex post sleeves, refer to page 40.	2.5" x 2.5" x 53" Post—Stair (IRC Compliant) [2.5 in x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimensions]	XXAL252553RCAP
	Aluminum posts can only be used with the Trex Reveal line.	2.5" x 2.5" x 36" Crossover Post—Horizontal (IRC Compliant) [2.5 in x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimensions]	XXAL252536RCCP
		2.5" x 2.5" x 42" Crossover Post—Horizontal (IRC Compliant) [2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions]	XXAL252542RCCP
	Aluminum Mounting Plate & Hardware	For use with 2.5" Aluminum Post and 2.5" Aluminum Crossover Post only.	ALPOSTHWDECK
	Aluminum Joist Mount Post with Cap and Skirt	2.5" x 2.5" x 63" [2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]	XXJMNTPOST63
	Reveal Fascia Mount Kit (for use with wood framing)	For use with Joist Mount Reveal Railing Post only.	XXFMNTWOOD
3	Rail & Baluster Kit » Top Rail » Bottom Rail » Balusters » Mounting & Support Hardware	6' x 36" Rail Kit w. Square Balusters—Horizontal 6' x 36" Rail Kit w. Square Balusters—Stair 8' x 36" Rail Kit w. Square Balusters—Horizontal 8' x 36" Rail Kit w. Square Balusters—Stair	XXASO636HRK XXASO636SRK XXAS0836HRK XXAS0836SRK
		6' x 42" Rail Kit w. Square Balusters—Horizontal 6' x 42" Rail Kit w. Square Balusters—Stair 8' x 42" Rail Kit w. Square Balusters—Horizontal 8' x 42" Rail Kit w. Square Balusters—Stair	XXAS0642HRK XXAS0642SRK XXAS0842HRK XXAS0842SRK
		6' x 36" Rail Kit w. Round Balusters—Horizontal 6' x 36" Rail Kit w. Round Balusters—Stair 8' x 36" Rail Kit w. Round Balusters—Horizontal 8' x 36" Rail Kit w. Round Balusters—Stair	XXAR0636HRK XXAR0636SRK XXAR0836HRK XXAR0836SRK
		6' x 42" Rail Kit w. Round Balusters—Horizontal 6' x 42" Rail Kit w. Round Balusters—Stair 8' x 42" Rail Kit w. Round Balusters—Horizontal 8' x 42" Rail Kit w. Round Balusters—Stair	XXAR0642HRK XXAR0642SRK XXAR0842HRK XXAR0842SRK
		Dimensions above are actuals. See below for metrics. [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions]	
		[6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]	
CESSORY	Reveal Accessories	Fixed Bracket—Horizontal (4/pack) Fixed Bracket—Stair (4/pack) Swivel Bracket—Horizontal (2/pack–1 top, 1 bottom) Swivel Bracket—Stair (2/pack–1 top, 1 bottom) 2.5" Horizontal Crossover Bracket (1/pack) 2.5" Swivel Crossover Bracket—Stair (1/pack) Compound Swivel Bracket (2/pack–1 top, 1 bottom) Aluminum Footblock Touch-up Pen	XXFHBKTAL XXFSBKTAL XXSWHBKTAL XXSWSBKTAL XX25FHCBKTAL XX25RCSWSCBKTAL XXCPDSWBKTAL XXALFTBLK XXTOUCHUPPEN

ACCE


Trex Aluminum Gates

COMPONENT		DESCRIPTION	ITEM NUMBER
Gate Rail Kit	0	Square Balusters, Adjustable up to 48" wide opening Round Balusters, Adjustable up to 48" wide opening	XX36SQADJGATE XX36RDADJGATE
Available in all Aluminum colors.	Ū.	Square Balusters, Adjustable up to 48" wide opening Round Balusters, Adjustable up to 48" wide opening	XX42SQADJGATE XX42RDADJGATE
	[Actual height 36" Ra	n (120 cm) but can be cut to fit any width.]	AA42NDADJGATE
Hardware Pack	1 5 4	2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys	BKGATEHW
	1 Kim	Hardware for attachment to wood post with composite sleeve or aluminum posts	

Trex Aluminum ADA Compliant Handrail All Trex ADA handrail components are made of powder-coated aluminum. For detailed installation instructions, visit trex.com.


COMPONENT	ITEM NUMBER	
Corner Mount	XXALADAICORNER	
Post Return ("Candy Cane")	XXALADA180CCANE	
5 Degree Elbow	XXALADA05ELB	, = 4 1
31 Degree Elbow	XXALADA31ELB	
34 Degree Elbow	XXALADA34ELB	
36 Degree Elbow	XXALADA36ELB	
90 Degree Elbow	XXALADA90ELB	
Collar	XXALADACLR	
Rail End Cap	XXALADACAP	
90 Degree Wall Return	XXALADA90WR	
Wall Mount	XXALADAWMNT	
4 in (101 mm) Internal Connector	XXALINTCONN	
1.375 in x 8 ft (34 mm x 243 cm) Hand Rail	XXALADARAIL8	

-
とない



• Choose either Reveal posts or Trex post sleeves, caps and skirts for steps 1 & 2. Pair with a rail & baluster kit (step 3).

Trex Outdoor Lighting



DLFADAP6PK

TREX[®] LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser To make a claim under this limited warranty, Purchaser, or the transferee, ("Purchaser") that, for the period of time set forth in the following sentence, shall send to Trex, within the warranty period referred to above, a description under normal use and service conditions, Trex® products shall be free of the claimed defect and proof of purchase, to the following address: from material defects in workmanship and materials, and shall not split, Trex Company, Inc. splinter, rot or suffer structural damage from termites or fungal decay. Customer Relations The term of such warranty shall be twenty-five (25) years from the date of 160 Exeter Drive original purchase for a residential application, and ten (10) years from the Winchester, VA 22603-8605 date of original purchase for a commercial application. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective item or refund the portion of the purchase price paid by Purchaser for such defective item (not including the cost of its initial installation).

Notwithstanding the foregoing, (a), the term of the warranty for the LED lights and housing for Trex[®] DeckLighting[™] shall be seven (7) years, the term of the warranty for the LED lights and housing for Trex[®] LandscapeLighting[™] shall be five (5) years, and the term of the warranty for the dimmer, timer and transformer for both shall substances (such as dirt, grease, oil, etc.), or normal weathering (defined be three (3) years, in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) not used), and any other parts or accessories shall not be warranted; (b) with respect to hardware for the Trex Surroundings[®] gate (gate variations or changes in color of Trex products; (6) improper handling, frame, hinges and screws), the term of the warranty shall be five storage, abuse or neglect of Trex products by Purchaser, the transferee or (5) years, (c) with respect to Trex Decorative Balusters, the term of third parties; or (7) ordinary wear and tear. the warranty covering the paint coating shall be ten (10) years, and No person or entity is authorized by Trex to make and Trex shall not be shall be prorated in the following manner: 100% replacement for bound by any statement or representation as to the quality or performance the first five (5) years; and 50% replacement for the next five (5) of Trex products other than as contained in this warranty. This warranty years, and (d) this warranty shall not apply to Trex Elevations[®] steel may not be altered or amended except in a written instrument signed by deck framing, Trex Reveal[®] aluminum railing and TrexTrim[™] (which Trex and Purchaser. each have separate warranties).

UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, For purposes of this warranty, a "residential application" shall refer to an INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH installation of the Product on an individual residence, and a "commercial DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING application" shall refer to any installation of the Product other than on an BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR individual residence. OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS **RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH DESCRIBED ABOVE.**

RESPECT TO THE REMOVAL OF DEFECTIVE TREX PRODUCTS OR THE INSTALLATION OF REPLACEMENT MATERIALS. INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.


Trex does not warrant against and is not responsible for, and no implied warranty shall be deemed to cover, any condition attributable to: (1) improper installation of Trex products and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of Trex products beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Trex products are installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2014 Trex Company, Inc.



TREX TRANSCEND[®], TREX ENHANCE[®], TREX SELECT® AND TREX® UNIVERSAL FASCIA LIMITED FADE & STAIN WARRANTY



Term of Warranty: The term of this warranty shall begin on the date of original purchase, and shall end (1) twentyfive (25) years thereafter for a residential application of the Product, and (2) ten (10) years thereafter for a commercial application of the Product.

Residential/Commercial Application: For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Fade Resistance: The Product shall not fade in color from light and weathering exposure as measured by color change of more than 5 Delta E (CIE) units.

The Product is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading, and will not in any event fade by more than 5 Delta E (CIE) units.

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbeque sauce, grease, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water or mild household cleaners within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof, and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in the stain resistant warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, or bactericides. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

Standard Trex Company Limited Warranty: This warranty is in addition to the standard Trex Company Limited Warranty that applies to all Trex products.

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed

EXCLUSIONS FROM WARRANTY COVERAGE:

Exposure to Heat: Direct or indirect contact with extreme heat sources (over 275 degrees) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this warranty.

Surface Damage: Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this warranty will be voided.

Paint or Other Materials Applied to the Product: If paint or other coating materials are applied to the Product, this warranty will be voided

Railing: This warranty does not cover Trex Transcend® or Trex Select[®] railing components.

Other Exclusions: This warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes: (3) movement. distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

Procedure for Making a Claim under this Warranty

In order to make a claim under this warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the warranty on stain resistance. Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures. then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description and photographs of the affected area of the Product, proof of purchase, and if the claim relates to the warranty on stain resistance, proof of compliance with paragraph 1. above, to the following address:

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605

3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either replace the affected item or refund the portion of the purchase price paid by Purchaser for such affected item (not including the cost of its initial installation). Replacement material will be provided that is as close as possible in color, design and quality as the replaced material, but Trex does not guarantee an exact match as colors and design may change.

4. If a valid warranty claim hereunder is made during years eleven (11) through twenty-five (25) after the original purchase for a residential application, recovery will be prorated. If Trex is providing replacement materials, it may elect to replace the percentage listed below of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below of the purchase price of boards otherwise meeting the requirements for a claim.

YEAR OF WARRANTY CLAIM	PERCENTAGE RECOVERY
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%

5. THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF AFFECTED PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

25

10%

UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL. INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2013 Trex Company, Inc.



Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, under normal use and service conditions, Trex Reveal® Railing (the "Product") shall, for a period of twenty-five (25) years from the date of original purchase, be free from material defects in workmanship and materials. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective Product or refund the portion of the purchase price paid by Purchaser for such defective Product (not including the cost of its initial installation).

With respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure.

THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE **RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH** RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS. INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

This warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605

TREX REVEAL® RAILING LIMITED WARRANTY


Trex does not warrant against and is not responsible for, and no implied warranty shall be deemed to cover, any condition attributable to: (1) improper installation of the Product; (2) use of the Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) damages attributable to fire, violent storms, earthquake or other Acts of God. accidents, vandalism, or other casualties, impact of objects, or exposure to atmospheric pollutants or conditions other than natural weather processes, (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; or (6) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL. INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT. IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE. AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2013 Trex Company, Inc.



FRAMING | DECKING | RAILING | LIGHTING | FASCIA | STORAGE | FURNITURE | PERGOLA | DRAINAGE





Visit trex.com or call 1-800-BUY-TREX

© 2016 Trex Company, Inc. All rights reserved. Trex[®], the Trex logo, Trex Transcend[®], Trex Enhance[®], Trex Select[®], Trex Hideaway[®], Trex Reveal[®], Trex Elevations[®], Trex[®] RainEscape[®], Trex LightHub[®], Trex[®] OutdoorLighting[™], Trex[®] OutdoorStorage[™], Trex[®] Outdoor Furniture[™], Trex[®] Pergola[™], Trex[®] Spiral Stairs[™], Trex Blade[™] and TrexPro[®] are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia.